GALLERY® collection

1 & 2-LAYER CONSTRUCTION



America's Favorite Garage Doors®



GALLERY collection

Clopay's one and two-layer Gallery® collection combines stylish carriage house designs at more affordable prices. Create a look that complements the overall look of your home by selecting the panel size, window or solid top section design and decorative hardware to give it that one-of-a-kind look. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.

STYLE AND CONSTRUCTION

- 24 gauge or 25 gauge 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models GD5SV, GD4SV and GD4LV).
- Nylon rollers are quiet and durable.
- Rust-proof, aluminum bottom weatherseal retainer and vinyl astragal help seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.





Model	Description
GD5S	25 Gauge, Short Panel, Non-Insulated
GD4S	24 Gauge, Short Panel, Non-Insulated
GD4L	24 Gauge, Long Panel, Non-Insulated





Model	Description
GD5SV	25 Gauge, Short Panel, Insulated
GD4SV	24 Gauge, Short Panel, Insulated
GD4LV	24 Gauge, Long Panel, Insulated



DOOR DESIGNS



Long (GD4L and GD4LV)

GD5S/GD5SV available 5'0"-18'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4S/GD4SV available 5'0"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4L/GD4LV available 7'8"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). All doors available 6'0"-16'0" high in 3" increments. Standard hardware shown above.

COLORS



- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.

* Not available on Models GD4L and GD4LV. Due to the printing process, colors may vary.

MODELS: GD5S, GD5SV, GD4S AND GD4SV 10'6"-12'0" 9'0"-10'0" Heights 7'0"-8'0" ii ii Widths 5'0"-6'0" 6'2"-7'6" 7'8"-10'0" 11'6"-14'6" 14'10"-19'0" 19'2"-20'0" 7'8"-10'0" 7'8"-10'0" Models GD5S and GD5SV available only in widths up to 18' Long Top Section ARCH1 Plain Plain Short ARCH1 with Grilles ARCH2 Plain Plain Long Long with ARCH2 with Grilles ----Rectangular Grilles Short with ARCH3 Plain Square Grilles Long with ARCH3 with Grilles 441 IIII IIII III Square Grilles Trenton® Short† Ashford® Short† 566 506 566 566 222 222 202 202 202 202 202 Ashford® Long† Trenton® Long† 886688 868868 020000 200200 022000 200200 Kristin® Short† Clayton™ Short[†] 000 000 000 000 Kristin® Long[†] Clayton™ Long[†] Wrought Iron Short*1 Wrought Iron Arch* 36 36 36 36 84 84 84 84 84 84 84 තිනි තිනි ഞ്ഞ് ഞ്ഞ് ഞ്ഞ് ഞ്ഞ Wrought Iron Long*† PER PER [†]Complements Clopay Entry Door glass. Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS



Windows

GLASS



Plain Long



Long with Square Grilles

* Complements Clopay Entry Door glass.

Long with Rectangular Grilles



Ashford® Short*

Plain Short

ARCH1 Plain



ARCH1 with Grilles







Kristin® Lona*





Trenton® Short'

Ashford® Long*

Trenton® Long*

Kristin® Short'

Clayton™ Short*

Clayton™ Long'

Decorative Hardware



Note: Decorative hardware options vary based on door widths. Standard hardware Spade Lift is not provided if a lock is chosen Handles See your Clopay Dealer for details.



Warranties

25 GAUGE DOORS (GD5S and GD5SV)







24 GAUGE DOORS (GD4S, GD4L, GD4SV and GD4LV)







Additional Features

Escutcheon Plates







Decorative panel edging and natural embossed woodgrain texture.

A FOCUS ON

Clopay is committed to designing, manufacturing and distributing garage doors that enhance the beauty, safety and value of your home while minimizing the impact on the environment.

The Gallery® Collection one and two-layer construction helps conserve natural resources by providing a durable, reliable, low-maintenance, energy efficient door. Long-lasting steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing shipping, damage and handling.

For more details on Clopay's green practices visit clopaydoor.com/cgreen.aspx



For more detailed product specification information or availability of our Gallery® Collection Garage Doors, please contact your Clopay Dealer. To locate a dealer to help you select the right door for your home, just go to www.clopaydoor.com/dealer or call 1-800-2CLOPAY (225-6729).

Follow us on F B





